


C:\Data File\Revit\2016\1493101 Circle 75 IL\F16-C_10abier.rvt 10/4/2017 4:17:22 PM

1 BUILDING 1000A - PROJECT LEVEL 1
0 4 8 16
SCALE: 1/8" = 1'-0"




REVISION SUMMARY #1
A. REVISED STAIR LABELS TO ALPHA CHARACTERS
REVISION SUMMARY #5
A. CHANGED WALLS ON LEVEL 1 TO 6" STUDS PER STRUCTURAL
B. CHANGED WALL TO 8" STUD TO ALIGN WITH 6" CORRIDOR WALL
C. ADDED 6" STUD WALL TO ALIGN WITH WALL ON LEVEL 2

- LEGEND
- CMU WALL
 - CONCRETE WALL
 - UNIT INTERIOR NON-RATED WALLS. 1 HR. RATED IF LOAD BEARING. REFER TO STRUCTURAL DRAWINGS.
 - UNIT EXTERIOR WALLS TO BE ONE HOUR RATED UNLESS NOTED OTHERWISE
 - 1 HOUR FIRE RATED WALL
 - 2 HOUR RATED WALL
 - UNIT ADDRESS - SEE AD-01
 - RESIDENTIAL UNIT TYPE
 - LOCATION OF ENLARGED ARCH. PLAN, RCP AND INTERIOR ELEVATIONS
 - WINDOW TYPE (SEE SHEET A8-05)

- GENERAL NOTES
1. REFER TO A3 SERIES FOR ENLARGED RESIDENTIAL UNIT PLANS, DOOR AND WINDOW TYPES AND LOCATION, RESIDENTIAL UNIT ROPS, ETC.
 2. REFER TO SHEET CD-30 FOR WALL ASSEMBLY TYPES AND ADDITIONAL INFORMATION.
 3. REFER TO SHEET A8-01 FOR DOOR SCHEDULE.
 4. ALL SLOPES TO BE 1/8" UNLESS NOTED OTHERWISE.
 5. REFER TO INTERIOR DRAWINGS FOR LIGHTING LAYOUTS AND FINISH SPECIFICATIONS.
 6. REFER TO BUILDING SECTIONS FOR CORRIDOR FINISHES.
 7. EXPANSION JOINTS IN BREEZEWAY/CORRIDOR CEILING TO BE 30'-0" O.C. MAX.
 8. DOOR LOCATIONS NOT DIMENSIONED SHALL BE LOCATED AT MIDPOINT OF WALL OR 4" CLEAR OF ROOM FROM ADJACENT WALL CORNER TO HINGE SIDE, TYPICAL.
 9. ALL BALCONY SLABS TO SLOPE AWAY FROM BUILDING AT 1/4" PER FT. MIN.
 10. ALL BALCONIES TO BE CONSTRUCTED OF FRT WOOD AND TO BE 1-HOUR PROTECTED, MINIMUM WHEN WITHIN 4'-0" OF THE 3-HR FIREWALLS.

- ELEVATOR NOTES
- NO ELEVATOR LOBBY REQUIRED AT LEVELS 2 - 5 AT BUILDING 1000B
ELEVATOR LOBBY OF DESIGNATED FLOOR TO BE ON LEVEL 1
LEVEL 6 FLOOR TO HAVE ALTERNATE LEVEL ELEVATOR LOBBY SEPARATE FROM REMAINDER OF BUILDING 1000B WITH 1-HR FIRE RATED WALL CONSTRUCTION PER IBC 713.14.2
- ERCA = EMERGENCY RESPONSE. COMMUNICATION AS REQUIRED BY F.M. FIELD TEST

| BUILDING SUMMARY - LEVELS | | | | | | |
|---------------------------|--------------|-----------|-----------|----------------|-----------|----------|
| PROJECT LEVEL | FFE | BLDG 1000 | BLDG 2000 | BLDG 3000 | BLDG 4000 | PKG DECK |
| 9 | 1020'-9 1/4" | | | | 5 | |
| 8 | 1016'-1 3/8" | | | | 4 | |
| 7 | 1008'-5 1/2" | | | 5 | 3 | 6 |
| 6 | 994'-9 5/8" | 5 | 5 | 4 | 2 | 5 |
| 5 | 984'-0 1/2" | 4 | 4 | 3 | 1 | 4 |
| 4 | 973'-3 3/8" | 3 | 3 | 2 | B | 3 |
| 3 | 962'-6 1/4" | 2 | 2 | 1 | | 2 |
| 2 | 951'-9 1/8" | 1 | 1 | DRIVE JUNCTION | | 1 |
| 1 | 941'-0" | 8 | | | | |



THE PRESTON PARTNERSHIP, LLC
A MULTI-DISCIPLINARY DESIGN FIRM
SOUTH TERRACES
115 PERIMETER CENTER PLACE, SUITE 950
ATLANTA, GEORGIA 30346
TELEPHONE: 770 396 7248
FAX: 770 396 2945
WWW.THEPRESTONPARTNERSHIP.COM
CONSULTANT

SEAL



PROJECT
RESERVE AT THE BALLPARK, PHASE II, AKA REVEL AT THE BALLPARK
2885 CRESCENT PKWY
SMYRNA, GA 30080

FOR



ATLANTIC REALTY PARTNERS
3438 PEACHTREE ROAD
SUITE 1425
ATLANTA, GA 30326

| ISSUES & REVISIONS | DATE |
|--|------------|
| CONCEPTUAL DESIGN | 08/21/2015 |
| SCHEMATIC DESIGN | 09/28/2015 |
| CM/CD DESIGN DEVELOPMENT | 10/15/2015 |
| GMP | 04/03/2017 |
| PERMIT SET | 05/22/2017 |
| 1. FM COMMENTS | 07/19/2017 |
| 3. BUILDING PERMIT | 07/25/2017 |
| 5. BUILDING PERMIT COMMENTS / COORDINATION | 10/02/2017 |

DATE 05/22/2017
JOB NUMBER 1493101
DRAWN BY EKS/NB
CHECKED BY CW
SHEET TITLE BUILDING 1000A - PROJECT LEVEL 1
SHEET NUMBER A1-11A
COMMENTS BUILDING PERMIT RE-SUBMISSION
30X42 © 2017 The Preston Partnership, LLC