











REVISION SUMMARY #2
A. CHANGED DOOR TYPE B07 TO DOOR TYPE B38

	CMU WALL
	CONCRETE WALL
	UNIT INTERIOR NON-RATED WALLS: 1 HR. RATED IF LOAD BEARING. REFER TO STRUCTURAL DRAWINGS
	UNIT EXTERIOR WALLS TO BE ONE HOUR RATED UNLESS NOTED OTHERWISE
	1 HOUR FIRE RATED WALL
	2 HOUR RATED WALL
	UNIT ADDRESS - SEE AD-01
	RESIDENTIAL UNIT TYPE
	LOCATION OF ENLARGED ARCH. PLAN, RCP AND INTERIOR ELEVATIONS
	WINDOW TYPE (SEE SHEET AB-05)

1. REFER TO A4 SERIES FOR ENLARGED RESIDENTIAL UNIT PLANS, DOOR AND WINDOW TYPES AND LOCATION, RESIDENTIAL UNIT RCP'S, ETC.
2. REFER TO SHEET CD-30 FOR WALL ASSEMBLY TYPES AND ADDITIONAL INFORMATION.
3. REFER TO SHEET A8-01 FOR DOOR SCHEDULE.
4. ALL SLOPES TO BE 1/8" UNLESS NOTED OTHERWISE.
5. REFER TO INTERIOR DRAWINGS FOR LIGHTING LAYOUTS AND FINISH SPECIFICATIONS.
6. REFER TO BUILDING SECTIONS FOR CORRIDOR FINISHES.
7. EXPANSION JOINTS IN BREEZEWAY/CORRIDOR CEILING TO BE 30" O.C. MAX.
8. DOOR LOCATIONS NOT DIMENSIONED SHALL BE LOCATED AT MIDPOINT OF WALL OR 1/4" CLEAR OF ROOM ADJACENT WALL CORNER OF HINGE SIDE, TYPICAL.
9. BALCONY/SLABS TO SLOPE AWAY FROM BUILDING AT 1/4" PER FT MIN.
10. ALL BALCONIES TO BE CONSTRUCTED OF FRT WOOD AND TO BE 1-HOUR PROTECTED, MINIMUM, WHEN WITHIN 4'-0" OF THE 3-HR FIREWALLS.

NO ELEVATOR LOBBY REQUIRED AT LEVELS 2 - 5 AT BUILDING 1000B

ELEVATOR LOBBY OF DESIGNATED FLOOR TO BE ON LEVEL 1

LEVEL 6 FLOOR TO HAVE ALTERNATE LEVEL ELEVATOR LOBBY SEPARATE FROM REMAINDER OF BUILDING 1000B WITH 1-HR FIRE RATED WALL CONSTRUCTION PER IBC 713.14.2

ERCA = EMERGENCY RESPONSE COMMUNICATION AS REQUIRED BY F.M. FIELD TEST

BUILDING SUMMARY - LEVELS						
PROJECT LEVEL	FFE	BLDG. 1000	BLDG. 2000	BLDG. 3000	BLDG. 4000	PKG DECK
9	1020'S 9 114"				5	
8	1016'S 1 338"				4	
7	1005'S 5 112"			5	3	6
6	994'S 9 530"	5	5	4	2	5
5	984-O 1 12"	4	4	3	1	4
4	973'S 3 138"	3	3	2	8	3
3	962'S 6 114"	2	2	1		2
2	951'S 9 118"	1	1	DRG UNDER		1
1	941'S 1 1"	B				

30X42 © 2017 The Preston Partnership, LLC