











REVISION SUMMARY #2

A. CHANGED DOOR TYPE B07 TO DOOR TYPE B38

	CMU WALL
	CONCRETE WALL
	UNIT INTERIOR NON-RATED WALLS. 1 HR. RATED IF LOAD BEARING. REFER TO STRUCTURAL DRAWINGS.
	UNIT EXTERIOR WALLS TO BE ONE HOUR RATED UNLESS NOTED OTHERWISE
	1 HOUR FIRE RATED WALL
	2 HOUR RATED WALL
	UNIT ADDRESS - SEE AD-01
	RESIDENTIAL UNIT TYPE
	LOCATION OF ENLARGED ARCH. PLAN, RCP AND INTERIOR ELEVATIONS
	WINDOW TYPE (SEE SHEET AB-05)

1. REFER TO A SERIES FOR ENLARGED RESIDENTIAL UNIT PLANS, DOOR AND WINDOW TYPES AND LOCATION, RESIDENTIAL UNIT ROPS, ETC.
2. REFER TO SHEET CD-30 FOR WALL ASSEMBLY TYPES AND ADDITIONAL INFORMATION.
3. REFER TO SHEET AB-01 FOR DOOR SCHEDULE.
4. ALL SLOPES TO BE 1/8" UNLESS NOTED OTHERWISE.
5. REFER TO INTERIOR DRAWINGS FOR LIGHTING FIXTURES AND FINISH SPECIFICATIONS.
6. REFER TO BUILDING SECTIONS FOR CORRIDOR FINISHES.
7. EXPANSION JOINTS IN BREEZEWAY/CORRIDOR CEILING TO BE 3/0" O.C. MAX.
8. DOOR LOCATIONS NOT DIMENSIONED SHALL BE LOCATED AT MIDPOINT OF WALL OR 4' CLEAR OF ROOM FROM ADJACENT WALL CORNER TO HINGE SIDE, TYPICAL.
9. ALL BALCONY SLABS TO SLOPE AWAY FROM BUILDING AT 1/4" PER FT MIN.
10. ALL BALCONIES TO BE CONSTRUCTED OF FRP WOOD AND TO BE 1-HOUR PROTECTED, MINIMUM, WHEN WITHIN 4'-0" OF THE 3-HR FIREWALLS.

NO ELEVATOR LOBBY REQUIRED AT LEVELS 2 - 5 AT BUILDING 1000B

ELEVATOR LOBBY OF DESIGNATED FLOOR TO BE ON LEVEL 1

LEVEL 6 FLOOR TO HAVE ALTERNATE LEVEL ELEVATOR LOBBY SEPARATE FROM REMAINDER OF BUILDING 1000B WITH 1-HR FIRE RATED WALL CONSTRUCTION PER IBC 713.14.2

ERCA = EMERGENCY RESPONSE COMMUNICATION AS REQUIRED BY F.M. FIELD TEST

BUILDING SUMMARY - LEVELS							
PROJECT LEVEL	FFE	BLDG 1000	BLDG. 2000	BLDG 3000	BLDG 4000		PKG DECK
9	1020'-9 1/4"				5		
8	1016'-1 3/8"				4		
7	1005'-5 1/2"			5	3	6	
6	994'-9 3/8"	5	5	4	2	5	
5	984'-0 1/2"	4	4	3	1	4	
4	973'-3 3/8"	3	3	2	8	3	
3	962'-6 1/4"	2	2	1		2	
2	951'-9 1/8"	1	1			1	
1	941'-0"	8					

The site plan shows a large central area labeled "PARKING DECK" with a dashed boundary. To its right is a shaded area labeled "1000A". Below the parking deck is a row of lots labeled "4000", "3000", "2000", and "1000B". A north arrow is located in the bottom left corner.

