
- STAINLESS STEEL TERMINATION BAR, UNPAINTED BALCONY DECKING 1X6 CEMENTITIOUS TRIM - 1X4 PT. WOOD FURRING EXTERIOR SHEATHING TYP. WEATHER RESISTIVE BARRIER W12" DEEP WOOD TRUSSES - 1X12 CEMENTITIOUS TRIM 1X8 CEMENTITIOUS TRIM 2X WOOD BLOCKING -2X P.T. WOOD BLOCKING EXTERIOR GYP. BD. SEALANT AND BACKER ROD 1X4 CEMENTITIOUS TRIM





3 SECTION @ PARTIAL BALCONY @ B1C UNIT TYP.

2"X2" ALUMINUM CROSS-POST -STRUCTURAL BRACKET -2"X2" ALUM. POST —— 3 1/2" DECORATIVE RAIL INFILL -- SCHEDULED DOOR 2"X2" ALUMINUM CROSS-POST ---- SCHEDULED FLOORING SEPARATE DISSIMILAR METALS PAN FLASHING WITH END DAMS. PROVIDE TYPICAL FLOOR CEILING UPTURN BACK LEG BENEATH THRESHOLD 2x2 ALUM. POST ASSEMBLY STRUCTURAL BRACKET HEADER - SEE STRUCT. DWGS. CAP PL. WEATHER RESISTANT BARRIER BEHIND STRUCTURAL BRACKET

2 CONNECTION BRACKET ISOMETRIC NOT TO SCALE

STUCCO/CEMENTITIOUS

PANEL FINISH

2 5/8"X1 1/2" TOP CAP —

JULIET BALCONY SECTION DETAIL SCALE: 3" = 1'-0"

THE PRESTON

PARTNERSHIP, LLC A MULTI-DISCIPLINARY DESIGN FIRM SOUTH TERRACES 115 PERIMETER CENTER PLACE, SUITE 950 ATLANTA, GEORGIA 30346 TELEPHONE: 770 396 7248 FAX: 770 396 2945

WWW.THEPRESTONPARTNERSHIP.COM



RESERVE AT THE BALLPARK, PHASE II, AKA REVEL AT THE BALLPARK 2885 CRESCENT PKWY SMYRNA, GA 30080



ATLANTIC REALTY **PARTNERS**

3438 PEACHTREE ROAD **SUITE 1425** ATLANTA, GA 30326

ISSUES & 🗥 - REVISIONS _____

CONCEPTUAL DESIGN

SCHEMATIC DESIGN	09/28/2015
GMP/DESIGN DEVELOPMENT	10/15/2015
GMP	04/03/2017
PERMIT SET	05/22/2017
3 BUILDING PERMIT	07/25/2017

TF -	
TE TE	05/22/2017
3 NUMBER	1493101
AWN BY	Author
ECKED BY	Checker

BALCONY AND SECTION DETAILS

A5-22 BUILDING PERMIT RE-SUBMISSION

30X42 © 2017 The Preston Partnership, LLC

8 DETAIL @ JULIET BALCONY CONNECTION

SCALE: 3" = 1'-0"

6 SECTION @ CEILING AT INSET BALCONY

SCALE: 3" = 1'-0"

TYPICAL BALCONY

SCALE: 3" = 1'-0"