




SCALE: 3" = 1'-0"





5 ELEC. PN. @ RATED PARTITION SCALE: 3" = 1'-0"



- ACOSTICAL SEALANT, TYP.


- FIRE BLOCKING


- 3/4" O.S.B. FIREBLOCK OR RIMBOARD

PLUMBING PIPE / WASTE LINE, SEE
PLUMBING CHANGES FOR SIZE &
LOCATION

- BATT INSULATION - PIPE INSULATOR / FOAM WRAP - TYP. BASE TRIM








SPRINKLER PIPE

EXTERIOR INTERIOR 2X WOOD STUD WALL GYP. BD. - FIBER CEMENT PANELS ON FURRING OVER EXTERIOR SHEATHING 3-1/2" BATT INSULATION -20 MIL POLYETHYLENE



- 2x STUD WALL, SEE PLANS

WASHER BOX

- WATER CONNECTION

- 2x BLOCKING AS REQ'D.

WATER LINE IN WALL

- INSULATION AS REQ'D.

5/8" TYPE 'X' FIRE RESISTANT GYP. BD.

- FIRE CAULK ALL PENETRATIONS AS REQ'D.

- 5/8" TYPE 'X' GYPSUM WALL BOARD

2 LAYERS 5/8" TYPE 'X' GWB - MAINTAIN 1-HOUR RATED BEARING WALL MEMBRANE

SEAL ALL PENETRATIONS

ELECTRICAL PANEL

- BLOCKING

7 PLUMBING @ EXTERIOR WALL SCALE: 3" = 1'-0"

NOTE: 'FIRE SEAL' ENTIRE ENCLOSURE

SCALE: 3" = 1'-0"

6 WASHER BOX ENCLOSURE DETAIL








Image: constraint of the second state of the second sta
SEAL
PROJECTCIRCLE 75 DHASE IICIRCLE 75 COBB COUNTY, GA 30339
ATLANTIC REALTY PARTNERS 3438 PEACHTREE ROAD SUITE 1425 ATLANTA, GA 30326
ISSUES & REVISIONS DATE SD PROGRESS SET 09/28/15 GMP 04/03/2017
DATE 9/28/2015 JOB NUMBER 1493101 DRAWN BY
CHECKED BY PA SHEET TITLE FRAMING DETAILS SHEET NUMBER
A5-31 COMMENTS 30X42 © 2014 © 2015 The Preston Partnership, LLC