




2 SKYLounge AXON - EXTERIOR
SCALE:




1 AMENITY PLAN LEVEL 6 - SKYLounge PLAN
SCALE: 1/4" = 1'-0"




4 SKYLounge ACCESS ELEVATION
SCALE: 1/4" = 1'-0"



3 SECTION SKYLounge ACCESS
SCALE: 1/2" = 1'-0"



6 OH DOOR SECTION AMENITY LVL 6
SCALE: 3/8" = 1'-0"



5 SKYLounge ACCESS - INTERIOR AXON
SCALE:

REVISION SUMMARY #2
A. PROVIDED 60" LANDING BETWEEN THE LEGS OF THE RAMP.
B. RESPAVED RAILS + ADDED TREAD NOTE
C. ADDED SECTIONS
D. ADDED INTERIOR AXON
E. ADDED ELEVATION


| LEGEND | |
|--------|---|
| | CMU WALL |
| | CONCRETE WALL |
| | UNIT INTERIOR NON-RATED WALLS, 1 HR. RATED IF LOAD BEARING. REFER TO STRUCTURAL DRAWINGS. |
| | UNIT EXTERIOR WALLS TO BE ONE HOUR RATED UNLESS NOTED OTHERWISE |
| | 1 HOUR FIRE RATED WALL |
| | 2 HOUR RATED WALL |
| | UNIT ADDRESS - SEE A0-01 |
| | RESIDENTIAL UNIT TYPE |
| | LOCATION OF ENLARGED ARCH. PLAN, RCP AND INTERIOR ELEVATIONS |
| | WINDOW TYPE (SEE SHEET A8-05) |

GENERAL NOTES

1. REFER TO A3 SERIES FOR ENLARGED RESIDENTIAL UNIT PLANS, DOOR AND WINDOW TYPES AND LOCATION, RESIDENTIAL UNIT ROPS, ETC.
2. REFER TO SHEET CD-30 FOR WALL ASSEMBLY TYPES AND ADDITIONAL INFORMATION.
3. REFER TO SHEET A8-01 FOR DOOR SCHEDULE.
4. ALL SLOPES TO BE 1/8" UNLESS NOTED OTHERWISE.
5. REFER TO INTERIOR DRAWINGS FOR LIGHTING LAYOUTS AND FINISH SPECIFICATIONS.
6. REFER TO BUILDING SECTIONS FOR CORRIDOR FINISHES.
7. EXPANSION JOINTS IN BREEZEWAY/CORRIDOR CEILING TO BE 30'-0" O.C. MAX.
8. DOOR LOCATIONS NOT DIMENSIONED SHALL BE LOCATED AT MIDPOINT OF WALL OR 4' CLEAR OF ROOM FROM ADJACENT WALL CORNER TO HINGE SIDE, TYPICAL.
9. ALL BALCONY SLABS TO SLOPE AWAY FROM BUILDING AT 1/4" PER FT. MIN.
10. ALL BALCONIES TO BE CONSTRUCTED OF FRT WOOD AND TO BE 1-HOUR PROTECTED, MINIMUM, WHEN WITHIN 4'-0" OF THE 3-HR FIREWALLS.

ELEVATOR NOTES

- NO ELEVATOR LOBBY REQUIRED AT LEVELS 2 - 5 AT BUILDING 1000B
ELEVATOR LOBBY OF DESIGNATED FLOOR TO BE ON LEVEL 1
LEVEL 6 FLOOR TO HAVE ALTERNATE LEVEL ELEVATOR LOBBY SEPARATE FROM REMAINDER OF BUILDING 1000B WITH 1-HR FIRE RATED WALL CONSTRUCTION PER IBC 713.14.2
ERCA = EMERGENCY RESPONSE, COMMUNICATION AS REQUIRED BY F.M. FIELD TEST



THE PRESTON
PARTNERSHIP, LLC
A MULTI-DISCIPLINARY DESIGN FIRM

SOUTH TERRACES
115 PERIMETER CENTER PLACE, SUITE 950
ATLANTA, GEORGIA 30346
TELEPHONE: 770 396 7248
FAX: 770 396 2945

WWW.THEPRESTONPARTNERSHIP.COM
CONSULTANT

SEAL



PROJECT
RESERVE AT THE
BALLPARK, PHASE II,
AKA REVEL AT THE
BALLPARK
2885 CRESCENT PKWY
SMYRNA, GA 30080

FOR



ATLANTIC REALTY
PARTNERS

3438 PEACHTREE ROAD
SUITE 1425
ATLANTA, GA 30326

| ISSUES & REVISIONS | DATE |
|--------------------------------|------------|
| CONCEPTUAL DESIGN | 08/21/2015 |
| SCHEMATIC DESIGN | 09/28/2015 |
| CMIP/DESIGN DEVELOPMENT | 10/15/2015 |
| GMP | 04/03/2017 |
| PERMIT SET | 05/22/2017 |
| 2. ADA COMMENTS / COORDINATION | 07/25/2017 |
| 3. BUILDING PERMIT | 07/25/2017 |

DATE 05/22/2017

JOB NUMBER 1493101

DRAWN BY EKS/NB

CHECKED BY CW

SHEET TITLE
AMENITY PLAN LEVEL 6 - SKY
LOUNGE

SHEET NUMBER

30X42

COMMENTS
BUILDING PERMIT RE-SUBMISSION

© 2017 The Preston Partnership, LLC

KEYPLAN

