




4 SECTION @ LOADING RAMP  
SCALE: 1/4" = 1'-0"



3 SECTION AT LOADING DOCK  
SCALE: 1/4" = 1'-0"



2 PLAN @ TYP TRASH ROOM  
SCALE: 1/4" = 1'-0"





5 PLAN @ LOADING DOCK - BLDG 1000 LEVEL 2  
SCALE: 1/4" = 1'-0"

REVISION SUMMARY #2  
A. PROVIDE 8.3% SLOPE FOR THE RAMP AT THE LOADING DOCK

LEGEND	
	CMU WALL
	CONCRETE WALL
	UNIT INTERIOR NON-RATED WALLS, 1 HR. RATED IF LOAD BEARING. REFER TO STRUCTURAL DRAWINGS.
	UNIT EXTERIOR WALLS TO BE ONE HOUR RATED UNLESS NOTED OTHERWISE
	1 HOUR RATED WALL
	2 HOUR RATED WALL
	UNIT ADDRESS - SEE A4-01
	RESIDENTIAL UNIT TYPE
	LOCATION OF ENLARGED ARCH. PLAN, RCP AND INTERIOR ELEVATIONS
	WINDOW TYPE (SEE SHEET A8-05)

- GENERAL NOTES
- REFER TO A3 SERIES FOR ENLARGED RESIDENTIAL UNIT PLANS, DOOR AND WINDOW TYPES AND LOCATION, RESIDENTIAL UNIT ROPS, ETC.
  - REFER TO SHEET CD-30 FOR WALL ASSEMBLY TYPES AND ADDITIONAL INFORMATION.
  - REFER TO SHEET A8-01 FOR DOOR SCHEDULE.
  - ALL SLOPES TO BE 1/8" UNLESS NOTED OTHERWISE.
  - REFER TO INTERIOR DRAWINGS FOR LIGHTING LAYOUTS AND FINISH SPECIFICATIONS.
  - REFER TO BUILDING SECTIONS FOR CORRIDOR FINISHES.
  - EXPANSION JOINTS IN BREEZEWAY/CORRIDOR CEILING TO BE 30'-0" O.C. MAX.
  - DOOR LOCATIONS NOT DIMENSIONED SHALL BE LOCATED AT MIDPOINT OF WALL OR 4" CLEAR OF ROOM FROM ADJACENT WALL CORNER TO HINGE SIDE, TYPICAL.
  - ALL BALCONY SLABS TO SLOPE AWAY FROM BUILDING AT 1/4" PER FT. MIN.
  - ALL BALCONIES TO BE CONSTRUCTED OF FRT WOOD AND TO BE 1-HOUR PROTECTED, MINIMUM WHEN WITHIN 4'-0" OF THE 3-HR FIREWALLS.

- ELEVATOR NOTES
- NO ELEVATOR LOBBY REQUIRED AT LEVELS 2 - 5 AT BUILDING 1000B  
ELEVATOR LOBBY OF DESIGNATED FLOOR TO BE ON LEVEL 1  
LEVEL 6 FLOOR TO HAVE ALTERNATE LEVEL ELEVATOR LOBBY SEPARATE FROM REMAINDER OF BUILDING 1000B WITH 1-HR FIRE RATED WALL CONSTRUCTION PER IBC 713.14.2
- ERCA = EMERGENCY RESPONSE COMMUNICATION AS REQUIRED BY F.M. FIELD TEST



**THE PRESTON PARTNERSHIP, LLC**  
A MULTI-DISCIPLINARY DESIGN FIRM  
SOUTH TERRACES  
115 PERIMETER CENTER PLACE, SUITE 950  
ATLANTA, GEORGIA 30346  
TELEPHONE: 770 396 7248  
FAX: 770 396 2945

WWW.THEPRESTONPARTNERSHIP.COM  
CONSULTANT



PROJECT  
**RESERVE AT THE BALLPARK, PHASE II, AKA REVEL AT THE BALLPARK**  
2885 CRESCENT PKWY  
SMYRNA, GA 30080



**ATLANTIC REALTY PARTNERS**  
3438 PEACHTREE ROAD  
SUITE 1425  
ATLANTA, GA 30326

ISSUES & REVISIONS	DATE
CONCEPTUAL DESIGN	08/21/2015
PROGRESS SET	09/02/2015
SCHEMATIC DESIGN	09/28/2015
GMP/DESIGN DEVELOPMENT	10/15/2015
FOUNDATION PACKAGE	12/07/2015
GMP	04/03/2017
PERMIT SET	05/22/2017
2. AIA COMMENTS / COORDINATION	07/26/2017
3. BUILDING PERMIT	07/26/2017

DATE	05/22/2017
JOB NUMBER	1493101
DRAWN BY	EKS
CHECKED BY	CWB
SHEET TITLE	PLAN @ LOADING AND TRASH AREA
SHEET NUMBER	<b>A6-20</b>
COMMENTS	BUILDING PERMIT RE-SUBMISSION