



REVISION SUMMARY #2  
A. FIRE RATED DOOR B03 ADDED  
B. ADDED SECTION OF THE DOG SPA  
C. REDUCED TUB HEIGHT OF 34" A.F.F. TO THE TRIM OF THE TUB


REVISION SUMMARY #5  
A. CHANGED WALLS AT LEVEL 4 ONLY TO BE 6" STUDS PER STRUCTURAL DRAWINGS  
B. MOVED DOG SPA ALCOVE ENTRY TO ALIGN WITH CORRIDOR WALL  
C. CHANGED EXTERIOR WALL TO 8" STUD WALL TO ALIGN  
D. ADDED SECTION OF CIP CONC. WALL  
E. ADDED FURRING WALL



2 DOG SPA RCP  
SCALE: 1/4" = 1'-0"



3 DOG SPA SECTION  
SCALE: 1/2" = 1'-0"



1 DOG SPA  
SCALE: 1/4" = 1'-0"

| LEGEND |   |
|--------|---|
|        | CMU WALL  |
|        | CONCRETE WALL   |
|        | UNIT INTERIOR NON-RATED WALLS. 1 HR. RATED IF LOAD BEARING. REFER TO STRUCTURAL DRAWINGS. |
|        | UNIT EXTERIOR WALLS TO BE ONE HOUR RATED UNLESS NOTED OTHERWISE                           |
|        | 1 HOUR FIRE RATED WALL  |
|        | 2 HOUR RATED WALL   |
|        | UNIT ADDRESS - SEE A0-01  |
|        | RESIDENTIAL UNIT TYPE   |
|        | LOCATION OF ENLARGED ARCH. PLAN, RCP AND INTERIOR ELEVATIONS                              |
|        | WINDOW TYPE (SEE SHEET A8-05)   |

- GENERAL NOTES
- REFER TO A3 SERIES FOR ENLARGED RESIDENTIAL UNIT PLANS, DOOR AND WINDOW TYPES AND LOCATION, RESIDENTIAL UNIT ROPS, ETC.
  - REFER TO SHEET CD-30 FOR WALL ASSEMBLY TYPES AND ADDITIONAL INFORMATION.
  - REFER TO SHEET A8-01 FOR DOOR SCHEDULE.
  - ALL SLOPES TO BE 1/8" UNLESS NOTED OTHERWISE.
  - REFER TO INTERIOR DRAWINGS FOR LIGHTING LAYOUTS AND FINISH SPECIFICATIONS.
  - REFER TO BUILDING SECTIONS FOR CORRIDOR FINISHES.
  - EXPANSION JOINTS IN BREEZEWAY/CORRIDOR CEILING TO BE 30'-0" O.C. MAX.
  - DOOR LOCATIONS NOT DIMENSIONED SHALL BE LOCATED AT MIDPOINT OF WALL OR 4" CLEAR OF ROOM FROM ADJACENT WALL CORNER TO HINGE SIDE, TYPICAL.
  - ALL BALCONY SLABS TO SLOPE AWAY FROM BUILDING AT 1/4" PER FT. MIN.
  - ALL BALCONIES TO BE CONSTRUCTED OF FRT WOOD AND TO BE 1-HOUR PROTECTED, MINIMUM, WHEN WITHIN 4'-0" OF THE 3-HR FIREWALLS.

- ELEVATOR NOTES
- NO ELEVATOR LOBBY REQUIRED AT LEVELS 2 - 5 AT BUILDING 1000B
- ELEVATOR LOBBY OF DESIGNATED FLOOR TO BE ON LEVEL 1
- LEVEL 6 FLOOR TO HAVE ALTERNATE LEVEL ELEVATOR LOBBY SEPARATE FROM REMAINDER OF BUILDING 1000B WITH 1-HR FIRE RATED WALL CONSTRUCTION PER IBC 713.14.2
- ERCA = EMERGENCY RESPONSE. COMMUNICATION AS REQUIRED BY F.M. FIELD TEST

**THE PRESTON PARTNERSHIP, LLC**  
A MULTI-DISCIPLINARY DESIGN FIRM  
SOUTH TERRACES  
115 PERIMETER CENTER PLACE, SUITE 950  
ATLANTA, GEORGIA 30346  
TELEPHONE: 770 396 7248  
FAX: 770 396 2945  
WWW.THEPRESTONPARTNERSHIP.COM  
CONSULTANT



PROJECT  
**RESERVE AT THE BALLPARK, PHASE II, AKA REVEL AT THE BALLPARK**  
2885 CRESCENT PKWY  
SMYRNA, GA 30080



**ATLANTIC REALTY PARTNERS**  
3438 PEACHTREE ROAD  
SUITE 1425  
ATLANTA, GA 30326

| ISSUES & REVISIONS             | DATE       |
|--------------------------------|------------|
| CONCEPTUAL DESIGN              | 08/21/2015 |
| SCHEMATIC DESIGN               | 09/28/2015 |
| CMIP/DESIGN DEVELOPMENT        | 10/15/2015 |
| GMP                            | 04/03/2017 |
| PERMIT SET                     | 05/22/2017 |
| 2. ADA COMMENTS / COORDINATION | 07/25/2017 |
| 3. BUILDING PERMIT             | 07/25/2017 |
| COORDINATION                   | 10/02/2017 |
| COMMENTS / COORDINATION        |            |

|              |                                     |
|--------------|-------------------------------------|
| DATE         | 05/22/2017                          |
| JOB NUMBER   | 1493101                             |
| DRAWN BY     | NB                                  |
| CHECKED BY   | Checker                             |
| SHEET TITLE  | DOG SPA AND MAINTENANCE PLANS       |
| SHEET NUMBER | A6-30                               |
| COMMENTS     | BUILDING PERMIT RE-SUBMISSION       |
| 30X42        | © 2017 The Preston Partnership, LLC |

