



3 ELEVATION 2 @ DRIVE ENTRY

SCALE: 1/4" = 1'-0"



2 ELEVATION 1 @ DRIVE ENTRY

SCALE: 1/4" = 1'-0"




4 PILASTER PLAN DETAIL

SCALE: 1 1/2" = 1'-0"


6 METER CENTER PLAN DETAIL

SCALE: 1" = 1'-0"



5 SECTION THRU ENTRY DRIVE

SCALE: 1/4" = 1'-0"



1 PLAN @ PARKING DECK DRIVE AISLE

SCALE: 1/4" = 1'-0"

LEGEND

- CMU WALL
- CONCRETE WALL
- UNIT INTERIOR NON-RATED WALLS. 1 HR. RATED IF LOAD BEARING. REFER TO STRUCTURAL DRAWINGS.
- UNIT EXTERIOR WALLS TO BE ONE HOUR RATED UNLESS NOTED OTHERWISE
- 1 HOUR FIRE RATED WALL
- 2 HOUR RATED WALL
- UNIT ADDRESS - SEE AD-01
- RESIDENTIAL UNIT TYPE
- LOCATION OF ENLARGED ARCH. PLAN, RCP AND INTERIOR ELEVATIONS
- WINDOW TYPE (SEE SHEET A6-05)

GENERAL NOTES


- REFER TO A3 SERIES FOR ENLARGED RESIDENTIAL UNIT PLANS, DOOR AND WINDOW TYPES AND LOCATION, RESIDENTIAL UNIT ROPS, ETC.
- REFER TO SHEET CD-30 FOR WALL ASSEMBLY TYPES AND ADDITIONAL INFORMATION.
- REFER TO SHEET A8-01 FOR DOOR SCHEDULE.
- ALL SLOPES TO BE 1/8" UNLESS NOTED OTHERWISE.
- REFER TO INTERIOR DRAWINGS FOR LIGHTING LAYOUTS AND FINISH SPECIFICATIONS.
- REFER TO BUILDING SECTIONS FOR CORRIDOR FINISHES.
- EXPANSION JOINTS IN BREEZEWAY/CORRIDOR CEILING TO BE 30'-0" O.C. MAX.
- DOOR LOCATIONS NOT DIMENSIONED SHALL BE LOCATED AT MIDPOINT OF WALL OR 4' CLEAR OF ROOM FROM ADJACENT WALL CORNER TO HINGE SIDE, TYPICAL.
- ALL BALCONY SLABS TO SLOPE AWAY FROM BUILDING AT 1/4" PER FT. MIN.
- ALL BALCONIES TO BE CONSTRUCTED OF FRT WOOD AND TO BE 1-HOUR PROTECTED, MINIMUM, WHEN WITHIN 4'-0" OF THE 3-HR FIREWALLS.

ELEVATOR NOTES

- NO ELEVATOR LOBBY REQUIRED AT LEVELS 2 - 5 AT BUILDING 1000B
- ELEVATOR LOBBY OF DESIGNATED FLOOR TO BE ON LEVEL 1
- LEVEL 6 FLOOR TO HAVE ALTERNATE LEVEL ELEVATOR LOBBY SEPARATE FROM REMAINDER OF BUILDING 1000B WITH 1-HR FIRE RATED WALL CONSTRUCTION PER IBC 713.14.2
- ERCA = EMERGENCY RESPONSE. COMMUNICATION AS REQUIRED BY F.M. FIELD TEST

REVISION SUMMARY #5

A. ADDED NOTE



THE PRESTON PARTNERSHIP, LLC
A MULTI-DISCIPLINARY DESIGN FIRM

SOUTH TERRACES
115 PERIMETER CENTER PLACE, SUITE 950
ATLANTA, GEORGIA 30346
TELEPHONE: 770 396 7248
FAX: 770 396 2945

WWW.THEPRESTONPARTNERSHIP.COM

CONSULTANT

SEAL



PROJECT

RESERVE AT THE BALLPARK, PHASE II, AKA REVEL AT THE BALLPARK
2885 CRESCENT PKWY
SMYRNA, GA 30080

FOR



ATLANTIC REALTY PARTNERS

3438 PEACHTREE ROAD
SUITE 1425
ATLANTA, GA 30326

ISSUES & REVISIONS

CONCEPTUAL DESIGN	08/21/2015
SCHEMATIC DESIGN	09/28/2015
CM/DESIGN DEVELOPMENT	10/15/2015
GMP	04/03/2017
PERMIT SET	05/22/2017
3. BUILDING PERMIT	07/25/2017
COMMENTS / COORDINATION	10/02/2017

DATE **05/22/2017**

JOB NUMBER **1493101**

DRAWN BY **NB**

CHECKED BY **CW**

SHEET TITLE **DRIVE AISLE PLANS, ELEVATIONS AND SECTION**

SHEET NUMBER

A6-40

COMMENTS **BUILDING PERMIT RE-SUBMISSION**

30X42 © 2017 The Preston Partnership, LLC